









Forging Our Own Way For Over 70 years

MKS is a family owned & operated business that has been manufacturing pedals in our own factory in Japan since being founded over 70 years ago. The cold forging process we began using 65 years ago allows us to make precision parts that are not only stronger, but also more precise than hot forged parts, with less waste.

MKS has been perfecting our heat treatment and quality control

processes over the last 70 years. Heat treating metals after forming hardens the parts, improving wear resistance, tensile strength, and fatigue strength. As a result of our expertise we are able to consistently produce extremely durable axles and structural components such as cups and cones.

Utilizing Unique Materials

MKS uses ADC-6 alloy for our die-casting, instead of the common ADC-12 alloy. Although the material is very difficult to cast, we believe ADC-6 is a superior material for pedal bodies and have been able to master working with it over the decades. When compared to more common alloys ADC-6 anodizes remarkably well, and is extremtly impact and corrosion resistant.

The Only Pedals Authorized For Keirin

Professional bicycle racers in the Japanese Keirin can only use parts that have passed the strict standards set by the Japan Keirin Autorace Foundation (commonly referred to as NJS). Only MKS is certified to supply pedals for Keirin bicycle racing. As of 2023 about 2,400 Professional cycles are racing the Keirin on MKS Pedals!

Every Pedal Is Hand Adjusted

All pedals are hand adjusted, and our top models are hand assembled one at a time. For our high quantity pedals we developed a custom assembly robot that reliably assembles pedals. Thorough controls create a ridable pedal, but we still manually adjust and inspect every pedal we make.

Benefiting From Diversification

Due to our expertise in forging, pressing, heat treatment, polishing, welding, and assembly we have become involved in manufacturing of automotive parts. In 2004 we obtained ISO 90001 certification (updated to ISO 90001-2015 in 2017). This certification has benefited pedal production as we now follow international standards, ensuring we are making safe, secure and reliable parts.



58[™] Edition



MIKASHIMA INDUSTRIAL CO., LTD

2024



MIKASHIMA INDUSTRIAL CO., LTD

www.mkspedal.com www.facebook.com/mkspedal www.instagram.com/mkspedal www.twitter.com/mkspedal 359-1166, 1738 Kojiya, Tokorozawa, Saitama, Japan TEL:04-2948-1261

MKS TECHNICAL GUIDE

EZY & EZY SUPERIOR MKS.

Finest Sealed Bearings





Rotational Performance Weight to Strength Maintainability

Hand assembled one at time. Our Fastest Bearing System.

Triple Sealed Bearings





Rotational Performance Weight to Strength Maintainability

**** ***

Remarkably fast, yet strong and durable

For space-saving in and outside of home






For use on **Mass Transit**

OPTIONAL

High Polish Cup & Cone






Rotational Performance Weight to Strength Maintainability

Our highest quality user serviceable bearing.

Cup & Cone





Rotational Performance Weight to Strength Maintainability

Simple, durable, proven. Easy to maintain.



Once installed, the Ezy system allows for safe, rapid, and toolless removal of pedals for travel or storage. Particularly popular as an upgrade for folding bicycles, those

who take their bikes on mass transit, or travel bikes with coupler systems our Ezy system can dramatically improve ride quality while saving space. The Ezy system requires a stopper be installed to lock the system when riding.

OPTIONAL

UX-D Ezy US-S Ezy Compact Ezy CYGMA Ezy MT-E Ezy PROMENADE Ezy **UB-LITE Ezy** AR-2 Ezy UX-D one sided Ezy PROMENADE one sided Ezy CYGMA one sided Ezy Compact one sided Ezy

Ezy Superior Thirteen models of MKS pedals are available with our patented second




Once installed, the Ezy Superior system allows for safe, rapid, and toolless removal of pedals for travel, or storage. Particularly popular as an upgrade for

folding bicycles, those who take their bikes on mass transit, or travel bikes with coupler systems our Ezy superior system can dramatically improve ride quality while saving space.

Allways Ezy Superior **US-L Ezy Superior** Sylvan Touring Next Ezy Superior Sylvan Stream Next Ezy Superior Sylvan Road Next Ezy Superior Sylvan Track Next Ezy Superior **TOURING-LITE Ezy Superior Urban Platform Ezy Superior** LAMBDA Ezy Superior **GAMMA Ezy Superior** Pretzel Ezy Superior **ESPRIT Ezy Superior** Panamax Ezy Superior Sylvan Touring Next One Sided Ezy Superior **TOURING-LITE One Sided Ezy Superior**

Sealed & Bushing





Rotational Performance Weight to Strength Maintainability

Compact, Strong, and Light.

Ezy



Easy of use Weight Strength





Ezy Superior

Easy of use Weight Strenath









Clip Recommended



1/2" Thread **Optional**



Clipless Pedal



Folding Pedal



NJS **Approved**





FD-7 WIDE

The FD-7 WIDE is the biggest folding pedal in MKS history! It uses the folding mechanism of the FD-7 (\rightarrow P16), but extends the tread length to 109.7 mm.

The protrusions on the outer and inner sides of the pedal body provide good grip even when riding on rough surfaces or in the rain. The robustness has already been proven by the FD-7 and these long-lasting pedals are the perfect upgrade for your folding bike.

To fold the pedals:

- 1. Push the button in the center of pedal body
- 2. Pull or push the pedal body in the direction of your choosing To Unfold the pedals:
- 1. Push the cage up until you hear a satisfying click.









BODY	STEP	WEIGHT	COLOR
Alloy	Double	562g	Silver
	Sided		Black

SYLVAN GORDITO

The name Gordito comes from a South American Spanish language "term of endearment" that translates to chubby , but is used like the word darling. The Gordito pedal is large and lovable.

Maintaining the same width of the Sylvan touring, we have increased the length of the pedal body allowing for a large comfortable platform for the rider to firmly rest their feet. This pedal is ideal for those looking for a comfortable ride, as well as those with large legs or shoes. Like the Sylvan touring, the cage plate tooth profile is grippy, but not particularly aggressive.









BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	430g	■ Silver ■ Black

PRETZEL / EZY SUPERIOR

Following on from the GAMMA gravel and mixed surfaces pedal (→P10), MKS released the Pretzel, incorporating C-shaped die-castparts for a wider tread surface.

Eight M4 spike pins per side are placed for grip.

Maximum thickness of 28 mm including spike pins and 23 mm in the center of the pedal; the concave shape secures the foothold. With built-in reflectors, it is suitable for city riding as well as gravel riding.

Available in two colors: silver with barrel polish and black with electrodeposition coating.





BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	530g Ezy Superior 593g	■ Silver ■ Black

SEAHORSE

The "Seahorse" is named after its uniquely curved shape.

The pedal body is offset 4 mm forward from the centre of the axle, allowing the shoe sole to fit the step well. Protrusions on the front and rear edges provide good grip. Although the tread is large at 72 mm in width and 93 mm in length, it is light weight at 340 grams. The body has four 4.2 mm x 26 mm horizontal holes for pedal strap.

Front and rear reflectors improve night visibility.

Available in two colors: silver with barrel polish and black with electrodeposition coating.



	BODY	STEP	WEIGHT	COLOR
6000	Alloy	Double Sided	340g	■ Silver ■ Black



Since its release in 1979 the Sylvan has been MKS's bestselling pedal line. Over 40 years of continuous production have validated the Sylvan's popularity, timeless styling, and longevity. The Sylvan line currently comes in three series: Sylvan, Sylvan NEXT, and Sylvan NEXT Ezy Superior.

The Sylvan line has been designed to be used on all pavement or path bicycles, and we offer four unique models depending on your intended use in three series.



Sylvan Road

is built around a compact pedal body and features a single-sided one-piece cage plate that is curved around the end cap of the pedal, that allows for more clearance when cornering than the touring while protecting the axle. The cage plate tooth profile is essentially flat, so we recommend toe clips and straps with this pedal.



Sylvan Track

shares the same compact pedal body as the Road, but has a shorter two-piece single-sided cage plate allowing for even more ground clearance than the Sylvan road. The Sylvan Track is designed to be used on the steep banking of a velodrome, but is also at home on the road. The cage plate tooth profile is similar to the road, and we recommend toe clips and straps with this pedal.



Sylvan Touring

pedal has the largest step area in the line, offering various foot position over a 94 x 63mm area to prevent fatigue. While the pedal is double sided, it also accepts toe clips and straps to prevent slipping. This pedal works well for a wide variety types of shoes, as the cage plate tooth profile isn't particular aggressive. As the name suggests, this pedal is awesome for touring.



Sylvan Stream

is about the same size as the Track, but is double-sided and the cage plate has an aggressive tooth profile to provide grip in any shoe. Similar the Touring, the Stream also accepts toe clips and straps to prevent slipping. We recommend the Sylvan Stream as a standard pedal for urban riding.



Sylvan Series

are our classic pedals, featuring cold forged Japanese steel spindles, high grade alloy pedal bodies with riveted cage plates. All Sylvan pedals accept toe clips and straps. Sylvan series pedals spin on the MKS handadjusted cup and cone bearing system. Sylvan pedals are finished with a silver anodized pedal body around a chrome plated axle, and are available with silver or black cage plates. The Sylvan series has remained a steadfast go-to for cyclist over the last four decades.



Sylvan NEXT Ezy Superior

Additionally, all of the Sylvan NEXT series pedals are available with our patented Ezy Superior quick release pedal system, known as the Sylvan NEXT Ezy Superior. Once installed, the Ezy Superior system allows for safe, rapid, and toolless removal of pedals for travel or storage. Particularly popular as an upgrade for folding bicycles, those who take their bikes on mass transit, or travel bikes with coupler systems our Ezy superior system can dramatically improve ride quality while saving space. The Sylvan NEXT Ezy Superior pedals have all of the benefits of the Sylvan NEXT listed above, except the chromed spindles have been replaced with our Ezy superior spindles.



Sylvan NEXT Series

is our new series of premium pedals, upgrading the bearings and cage plate fastening systems while maintaining the Sylvan's traditional styling. The Sylvan NEXT series uses our Triple Sealed Cartridge Bearings that provide a remarkably smooth and maintenance-free rotation at a lighter weight than the Sylvan series. The

low drag bearing improves pedaling efficiency, making the Sylvan NEXT series suitable for long distance riding. While the Sylvan cage plates are riveted, and Sylvan NEXT uses screws to fasten the plate to the pedal body making them replaceable- or customizable.

To match the improved performance, we have upgraded the finish of the Sylvan NEXT series. While the Sylvan series has silver or black anodized step plates and natural silver or painted black pedal body, the Sylvan NEXT is available in high polished chrome plated step plates and mirror finished pedal body, or black painted step plates and pedal body. The highly polished chrome plated step plates have not only high quality finish, but also have extremely strong anti-corrosive character, providing enhanced durability to sea breeze and rain.



Name	Bearing System	Weight Per Pair	Black JAN Code	Silver JAN Code
Sylvan Touring	Cup and Cone	391g	4560369001095	4560369001088
Sylvan Road	Cup and Cone	360g	4560369001057	4560369001040
Sylvan Track	Cup and Cone	343g	4560369001071	4560369001064
Sylvan Stream	Cup and Cone	343g	4560369001118	4560369001101
Sylvan Touring NEXT	Triple Sealed Bearing	338g	4560369004492	4560369004300
Sylvan Road NEXT	Triple Sealed Bearing	330g	4560369004522	4560369004331
Sylvan Track NEXT	Triple Sealed Bearing	318g	4560369004546	4560369004355
Sylvan Stream NEXT	Triple Sealed Bearing	318g	4560369004560	4560369004423
Sylvan Touring NEXT EZY Superior	Triple Sealed Bearing	393g	4560369004508	4560369004317
Sylvan Road NEXT Ezy Superior	Triple Sealed Bearing	385g	4560369004539	4560369004348
Sylvan Track NEXT Ezy Superior	Triple Sealed Bearing	373g	4560369004553	4560369004362
Sylvan Stream NEXT Ezy Superior	Triple Sealed Bearing	373g	4560369004577	4560369004430
Sylvan Touring NEXT Ezy Superior (1 sided Quick Release)		364g	Call for Details	
Ezy Superior Adapter (for additional Bikes)			4560369	9000043
Sylvan pedals are also available with	1/2" spindles. Please contact	t the sales departme	nt for more informatio	n.

SYLVAN NEXT SERIES MKS.

SYLVAN ROAD

than the Sylvan Touring while protecting the axle.



a quill style pedal built around a compact body and features a	
ngle-sided one-piece cage plate that is curved around the end	
ap of the pedal, that allows for more clearance when cornering	



BODY	STEP	WEIGHT	COLOR
Alloy	Single Sided	360g	■ Silver ■ Black

SYLVAN TOURING

has remained a steadfast go-to for cyclist over the last four decades. Offering the widest step area in the Sylvan line, this high value and rebuildable pedal works well for a wide variety types of shoes and



BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	391g	■ Silver ■ Black

SYLVAN ROAD NEXT/ EZY SUPERIOR

is an upgraded version of our hit the Sylvan Road features an improved bearing system and finish. Also available with our EZY superior quick release axle system.



BODY	STEP	WEIGHT	COLOR
Highly Polished	Single Sided	330g Ezy Superior	■ Silver ■ Black
Alloy		385g	

SYLVAN TOURING NEXT / EZY SUPERIOR

is an upgraded version of our hit the Sylvan Touring featuring an improved bearing system and finish. Available with our EZY Superior quick release axle system making this pedal perfect for touring bikes!



BODY	STEP	WEIGHT	COLOR
Highly Polished Alloy	Double Sided	338g Ezy Superior 393g	■ Silver ■ Black

SYLVAN TRACK

features a short two-piece single-sided cage built around a compact pedal body that allows for ample ground clearance when cornering. The Sylvan Track is designed to be used on the steep banking of a velodrome, but is also at home on the road.



BODY	STEP	WEIGHT	COLOR
Alloy	Single	343g	Silver
	Sided		Black

SYLVAN STREAM

is a double-sided pedal about the same size as Sylvan Track. The cage plate has an aggressive tooth profile to provide grip in any shoe. We recommend the Sylvan Stream as the standard pedal for urban riding.



BODY	STEP	WEIGHT	COLOR
Alloy	Double	343g	Silver
	Sided		Black

SYLVAN TRACK NEXT / EZY SUPERIOR

is an upgraded version of the Sylvan Track features an improved bearing system and finish. Also available with our EZY superior quick release axle system.



BODY	STEP	WEIGHT	COLOR
Highly Polished Alloy	Single Sided	318g Ezy Superior 373g	■ Silver ■ Black

SYLVAN STREAM NEXT / EZY SUPERIOR

is an upgraded version of the Sylvan Stream features an improved bearing system and finish. Also available with our EZY superior quick release axle system which is perfect for folding bikes!



BODY	STEP	WEIGHT	COLOR
Highly Polished Alloy	Double Sided	318g Ezy Superior 373g	■ Silver ■ Black

DOUBLE SIDED MKS.

ALLWAYS / EZY SUPERIOR

We set out to design a pedal that can be used for all types of cycling. With a large platform, replaceable pins, our triple sealed bearing, and lightweight body the Allways is unlike anything else on the market!



WEIGHT

381g

Ezy Superior

436a

COLOR

Silver

Black

LAMBDA / EZY SUPERIOR

is a unique double-sided platform pedal designed in conjunction with Rivendell Bicycle Works. The large C-shaped step blocks feature a octopus sucker inspired dimple to provide grip.



BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	420g Ezy Superior 483g	■ Silver ■ Black

COMPACT / EZY

At 233 grams a pair this is our lightest pedal. Using a sealed bearing and bushing bearing helps keep the weight down while keeping the pedal impact resilient. The EZY version is perfect for folding bikes.



BODY	STEP	WEIGHT	COLOR
CNC milled		233g	■ Grey
Extruded Alloy	Sided	Ezy 303g	■ Black

CYGMA /

Recommended for city riding and light touring. Although CYGMA is made of aluminium casting, but the weight is almost the same as the extruded and CNC-machined Compact.



BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	240g Ezy 310g	Silver

GAMMA

Co developed with Rivendell Bicycle the GAMMA is our mixed surface pedal. Built around the proven pedal body used on the LAMBDA paired with a new step block. The Gamma has eight replaceable antislip grip pins per side to provide an outstanding hold on a remarkably stable pedal.

STEP

Double Sided



BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	450g Ezy Superior	■ Silver ■ Black

RMX

We designed the RMX for riding around town in sneakers. The square shape evenly distributes the weight over a larger surface area making the RMX gentle on your feet This pedal pairs well with flat soled shoes such as vans, and features an angled low-profile tread to provide stability without damaging shoes.



BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	384g	Cosmic Silver

CT-LITE

is our entry level road pedal built around our cup and cone bearing system, and is offered in anodized silver or black paint. It is compatible with all of our toe clips, and is an excellent quality for the cost.



BODY	STEP	WEIGHT	COLOR
Alloy	Double	343g	Silver
	Sided		■ Black

IC-LITE

is a entry level road bike pedal featuring a reflector. If you don't wish to have a reflector on your bicycle, please consider our CT-Lite which is a similar pedal without a reflector.



BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	365g	■ Silver ■ Black

11

DOUBLE SIDED MKS.

PROMENADE / EZY

uses replaceable aluminum side plates. It uses an aluminum body with a compact design and is approximately 85 grams lighter than SYLVAN TOURING. The contact surface between the side plate and the shoe is flat, making it difficult to damage the shoe.



WEIGHT

304g

Ezy

COLOR

■ Titanium

■ Black

UB-LITE / EZY

The PROMENADE side plate is designed to be integrated into a U-shape, ensuring a wide stepping width. It is approximately 75 grams lighter than SYLVAN TOURING. Reduces the impact on the pedal body in the event of



BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	314g Ezy 365g	■ Silver ■ Black

TOURING-LITE

The sliding part of the bearing is polished and uses chrome balls with excellent roundness and hardness. With regular maintenance, it can be used semi-permanently.



TOURING-LITE SHORT / EZY SUPERIOR

The sliding part of the bearing is polished and uses chrome balls with excellent roundness and hardness. With regular maintenance, it can be used semi-permanently. This is a model with a side plate 7mm shorter than the TOURING-LITE mentioned above.



BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	312g Ezy Superior 375g	■ Silver ■ Black

ESPRIT / EZY SUPERIOR

STEP

Double Sided

Blockish in form the 1-piece cage and body are more angular than a traditional pedal. The design moves the pedal body further away from the crank allowing for flex providing a smoother ride on rough roads.



BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	352g Ezy Superior	■ Titanium
		415a	

MT-E / EZY

Aluminum die-cast pedals designed to be used with toe clips and straps. Although it is intended to be treaded on one side, there is also an auxiliary tread surface on the back for when the clip is not used.



BODY	STEP	WEIGHT	COLOR
Alloy	Double Sided	323g Ezy	■ Silver ■ Black
		374g	



TRACK/ NJS MKS.

GR-9

provides a generous platform that's great for soft sole shoes, while keeping a small form. Designed with city or touring riding in mind, some rides with larger shoes may prefer the GR-10.



GR-10

provides a generous platform that's great for soft sole shoes, while keeping a small form. Designed with city or touring riding in mind, some rides with smaller shoes may prefer the GR-9.



SUPREME

We takes no shortcuts and focus on precision when building our NJS pedals. Our most skilled employees assemble and adjust the SUPREME pedal one at time. The SUPREME was designed and built for professional track racing, the certification is stamped onto every pedal using the NJS mark.



BODY	STEP	WEIGHT	COLOR
Highly Polished Alloy	Single Sided	294g	■ Silver ■ Black

RX-1

is our lightest Track racing pedal. Designed and built for professional track racing the NJS certification is stamped onto every pedal. Since its release in 1985 the RX-1 has been a favorite on the Japanese professional track racing circuit.



BODY	STEP	WEIGHT	COLOR
Highly Polished Alloy	Single Sided	281g	■ Black

URBAN PLATFORM / EZY SUPERIOR

could be considered an upgraded version of the GR series pedals. The Urban Platform features ridges to provide grip on the exterior edges of the pedal body and along the axle line.



BODY	STEP	WEIGHT	COLOR
Alloy	Single Sided	310g Ezy Superior	■ Silver ■ Black

AR-2 / EZY

is a modern quill style road pedal. The unique asymmetrical cage plate design allows for additional inboard clearance at the quill for wide shoes when compared other quill pedals.




BODY	STEP	WEIGHT	COLOR
Alloy	Single Sided	293g Ezy 344g	■ Silver ■ Black

ROYAL NUEVO

is a lightweight, super smooth turning, classically styled track pedal that's made and approved for the velodrome, but is also a great fit for a classic bike and fixed gear builds. The short axle length helps reduce pedal flex and allows the rider to keep a narrow stance width to provide clearance on a track's banking.



STEP	WEIGHT	COLOR
Single Sided	297g	■ Satin-Silver
	Single	Single 297g



MTB/BMX MKS

US-L / EZY SUPERIOR

is excellent for beginners, young riders with limited strength, and those with limited flexibility looking to ride with clipless pedals. MKS's unique split binding system provides a stable hold while clipped in, yet requires minimal release and engagement force.



BODY	STEP	WEIGHT	COLOR
GFRP	Single Sided Clipless	290g Ezy Superior 345g	■ Black

US-S / EZY

is our SPD compatible clipless pedal. The MKS split binding system provides a stable hold while clipped in, yet requires minimal release and engagement force. Our design is excellent for beginners and those with limited flexibly. The detachable plastic cage helps build confidence when starting out with clipless pedals.



BODY	STEP	WEIGHT	COLOR
Alloy	Double	433g	Silver
	Sided	Ezy	
	Clipless	503g	

GRAFIGHT-XX

is a reissue of one of the earliest pedals on the market using Synthetic Fiberglass Resin, which we proclaimed to be nearly half of the weight of an aluminum alloy pedal while being twice as ridged and strong. Ideal for E-bikes!



BODY	STEP	WEIGHT	COLOR
GFRP	Double Sided	440g	See Detail

BM-7

is a reissue of one of our most popular BMX designs from 1979. The one-piece wrap-around cage features an aggressive tooth profile with a slight concave design to help keep your foot centered.



MKS FOLDING

FD-7

is a strong alloy pedal that uses a single action for quick and easy folding. The FD-7 will keep you moving quickly both on and off of the bike. Featuring integrated reflectors and a semi-aggressive tooth pattern this pedal works as a great city pedal.



BODY	STEP	WEIGHT	COLOR
Alloy	Double	487g	Silver
	Sided		■ Black

MT-LITE

is our classic mountain bike pedal that is also excellent for all riders who are tough on their equipment. Featuring a steel cage with wide teeth and rounded corners to prevent accidental scrapes. The steel cage provides excellent strength against bashing while our alloy pedal body saves weight when compared to an all steel pedal.



BODY	STEP	WEIGHT	COLOR
Alloy	Double	439g	Silver
	Sided		Black

XC-III

Suntour's XC-II, a popular MTB flat pedal in the past, has been reproduced in collaboration with Blue Lug.

See Detail

Double

Sided

Excellent for MTB, BMX. Also great for track bikes and commuters.



BODY	STEP	WEIGHT	COLOR
Alloy	Double	400g	Silver
	Sided		Black

TOWN & CITY MKS.

PB-50

is a basic unicycle pedal that is also popular for comfort bikes.



RUNBER-X

is our indoor unicycle pedal. The Runber-X features rounded rubberized corners to protect indoor surfaces and small plastic pins for grip. The Runber-X is made of plastic and has a 9/16th thread spindle. *Please note this does not have a reflector as it's made for competition*



BODY	STEP	WEIGHT	COLOR
Plastic	Double	312g	■ Grey
	Sided		Black

UX-D / EZY

is a standard entry pedal that is light and cost-effective.

Available also with Ezy version for easy removal and attachment.



BODY	STEP	WEIGHT	COLOR
Plastic	Double Sided	249g Ezv	■ Black
		300g	

PANAMAX / EZY SUPERIOR

It has the largest tread surface of our plastic pedals, This pedal has an elastomer grip sheet on the surface.



BODY	STEP	WEIGHT	COLOR
Plastic	Double	378g	■ Black
elastomer	Sided	Ezy Superior	
		441a	

G-6000

Plastic

is one of our basic pedals, great for all around usage and very popular with Unicycle riders. This pedal is larger in length, width, and height than an average pedal. The G-6000 has a high tooth profile to provide great grip, and has a built in reflector.

386g

Double

Sided

COLORWhite



BODY	STEP	WEIGHT	COLOR
Plastic	Double	386g	■ Black

3000S / 3000R

is a reissue of one of our first pedals. We designed the Type 3000 to be used on a popular style of utility bicycles at the time called a Roadster, but we have found it at home not only on classic bikes, but also on Rat Rods, Beach Cruisers, Commuters, and leisure bikes.

The 3000R has a reflector, while the 3000S does not.



BODY	STEP	WEIGHT	COLOR
Steel rubber	Double Sided	3000S 706g	■ Black
		3000R 703g	

PB-370

is a basic low-cost pedal featuring built-in reflectors. The plastic double-sided pedal body is impact resistance.



BODY	STEP	WEIGHT	COLOR
Plastic	Double Sided	330g	■ Black

PB-430

These are standard plastic pedals that are perfect for old-fashioned city riding.



BODY	STEP	WEIGHT	COLOR
Plastic	Double Sided	311g	☐ White

TOE CLIPS MKS₀





MATERIAL	SIZE
Steel	SS, S, M, L, LL

TOE CLIP STEEL DEEP

MATERIAL	SIZE
Steel	M, L, LL



MATERIAL	SIZE
Alloy	S, M, L



MATERIAL	SIZE
Steel	1 size



MATERIAL Steel 1 size





MATERIAL	SIZE	COLOR
Resin Coated	1 size	Black
l Steel		





MATERIAL	SIZE	COLOR
Steel	S. M. L	Brown



MATERIAL	SIZE	COLOR
Steel	M, L, LL	Brown



MATERIAL	SIZE	COLOR
Alloy	S, M, L	Brown



MATERIAL	SIZE	COLOR	
Steel	1 size	Black Brown	



MATERIAL	SIZE	COLOR	
Steel	1 size	Black Brown	





MATERIAL	SIZE
Nylon	M, L




Steel M, L, LL

measured figures (unit, mm)					
Toe Clip Steel (Cr plated)					
size	1	2	3	4	(5)
SS	41	51	58	90	31
S	46	51	61	94	31
М	51	51	70	104	37
L	62	51	72	110	37
LL	72	51	80	125	37
Toe Clip Alloy					
S	46	51	61	94	31
М	51	51	70	104	37
L	62	51	72	110	37
Toe Clip Steel Deep (Cr plated)					
М	51	51	74	95	42
L	62	51	78	103	42
LL	72	51	82	114	42
\					









MATERIAL SIZE Stainless S, M, L Steel



MATERIAL SIZE Stainless M, L



CAGE CLIP QUARTER



MATERIAL SIZE Stainless M, L Steel

	Toe CI	ip Adj	ustable (stee	I—Cr plated)	
size	1	2	3	4	(5)
S~L	46~62	51	61~72	94~110	
	H	Half C	lip (steel-Cr ¡	olated)	-
L	60	58	61	70	28
Half Clip Deep (steel—Cr plated)					
L	60	58	76	53	42
Quarter Clip (steel—Cr plated/resin coated)					
L	63.7	58	64.2	26.4	40
	(Cage (Clip (stainless	steel)	
S	44.8	58	77.5	88.2	41.5
М	52.8	58	79	95.8	41.5
L	65.7	58	83	107.5	41.5

Cage Clip Half (stainless steel)					
size	1	0	3	4	(5)
М	52.8	58	64.3	51.8	41.5
L	65.7	58	68.1	68.7	44.5
	Cage	Clip	Quarter (stair	less steel)	
М	46	58	61.8	28.2	42.2
L	58.9	58	63.7	28.2	42.2
MT-250 (plastic)					
М	71	63	98	90	
L	73	68	106	100	

PARTS & ACCESSORIES MKS.





25mm at buckle 12.5mm at strap

FIT -α **SPORTS 2 BUCKLE**



53mm at buckle 12.5mm at strap

FIT -α **FIRST**



420mm 13mm Grey Yellow Pink Green **CA-MKS**



Sold as a set

MAIERIAL	SIZE
Stainless	Hub Spindle 10mm
Steel	Dropout Thickness 5mm

CA-MX14



Sold Singly

MATERIAL	SIZE
Stainless	Hub Spindle 14mm
Steel	Dropout Thickness 8mm



Sold Singly

MATERIAL	SIZE
Stainless	Hub Spindle 10mm
Steel	Dropout Thickness 8mm

FIT -α **SPIRITS**



SPIRITS 2 BUCKLE

FIT -α



40.5mm at buckle 12.5mm at strap





Adds a classic cleat to modern 3 hole cycling shoes.

Allows extremly secure engagment between classic road pedals and modern shoes. MKS products for ROYAL NUEVO & SUPREME

US-A

CAP SPANNER

REFLECTOR SET



MATERIAL

Plastic

4 pieces per set

Mounting bolts and nuts included


MATERIAL SIZE 108mm long Steel

BEE BUTT



MATERIAL Alloy Mounting bolts and nuts included

SPIN-2



MATERIAL Alloy Mounting bolts and nuts included



2 mm thick

PEDAL SPANNER



MATERIAL 165mm long Steel 3.2 mm thick

CRANK SPACERS



MATERIAL Steel 4 pieces per set

US-S SPD Compatible





US-L Keo Compatible





MC-1 Plastic Cleat for EX-A Only





MC-3 Alloy Cleat for EX-A Only





Time ATAC Compatible



EZY ADAPTER SET



EZY SUPERIOR ADAPTER SET



EZY STOPPERS



PEDAL SPECIFICATIONS MICES

FD-7 WIDE	Pretzel	SYLVAN GORDITO	Seahorse	SYLVAN ROAD	SYLVAN TOURING	SYLVAN TRACK	SYLVAN STREAM	SYLVAN ROAD NEXT	SYLVAN TOUR- ING NEXT	SYLVAN TRACK NEXT	SYLVAN STREAM NEXT
↓	4P4	Sd←	\$4↑	→P6, 7, 8	###	#####################################	→ P6. 7.8	→P6, 7, 9	→ P6, 7, 9	→ P6, 7, 9	→P6, 7, 9
Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black	Silver/Black
Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Highly Polished Alloy	Highly Polished Alloy	Highly Polished Alloy	Highly Polished Alloy
Alloy Cast	Alloy Cast	Alloy Anodized	1	Alloy Anodized	Alloy Anodized	Alloy Anodized	Alloy Anodized	Alloy Anodized	Alloy Anodized	Alloy Anodized	Alloy Anodized
Cup & Cone	Cup & Cone	Cup & Cone	Cup & Cone	Cup & Cone	Cup & Cone	Cup & Cone	Cup & Cone	Triple sealed bearing	Triple sealed bearing	Triple sealed bearing	Triple sealed bearing
Double sided	Double sided	Double sided	Double sided	Single sided	Double sided	Single sided	Double sided	Single sided	Double sided	Single sided	Double sided
W92 × L110	W94 × L114	W94 × L85	W72 × L93	W99 × L61	W94 × L63	W80 × L61	W79 × L61	W99 × L61	W94 × L63	W80 × L61	W79 × L61
I	Ezy Superior optional	I	I	I	I	I	I	Ezy Superior optional	Ezy Superior optional	Ezy Superior optional	Ezy Superior optional
×	×	0	×	0	0	0	0	0	0	©	0
0	0	0	0	×	0	×	0	×	0	×	0
562g	530g(593g)	4309	3409	3609	3919	3439	3439	330g(385g)	3389(3939)	318g(373g)	318g(373g)
	Alloy Cast Alloy Cast Alloy Cast Alloy Cast Alloy Cast Alloy Cast Cup & Cone Cup & Cone Cup & Cone		Pretzel Alloy Alloy Alloy Cup & Cone Cup & Cone Cup & Cone Cup & Cone The sided Double sided S330g(593g) S330g(593g)	Pretzel Sytvan GORDITO Alloy Alloy Cast Alloy Anodized Alloy Cast Alloy Anodized Cup & Cone Cup & Cone Cup &	Pretzel SYLVAN Seahorse Silver/Black Silver/Black Silver/Black Alloy Cast Alloy Anodized — Alloy Cast Alloy Anodized — Cup & Cone Cup & Cone Cup & Cone Cup & Cone Cup & Cone Cup &	Pretzel CORDITO Seahorse SYLVAN ROAD	Pretzel	Pretze	Pretzel	Prinzal Stripan Stahrore Stripan Str	Pretzel



£2 indicates Ezy or Ezy-Superior weight of a pai

		NIS SIN			no no	Doc	WIC	Ezy			323
ESPRIT	→ P12	Titanium	Alloy	Alloy Anodized	Cup & Cone	Double sided	W94 × L68	Ezy Superior optional	0	0	352g(415g)
UB-LITE	→P12	Silver/Black	Alloy	Alloy Anodized	Cup & Cone	Double sided	W93 × L64	Ezy optional	0	0	314g(365g)
PROMENADE	→ PI2	Titanium/Black	Alloy	Alloy Anodized	Cup & Cone	Double sided	W85 × L64	Ezy optional	0	0	305g(355g)
IC-LITE	lid↑	Silver/Black	Alloy	I	Cup & Cone	Double sided	W93 × L67	1	×	0	3659
CT-LITE	Ild↑	Silver/Black	Alloy	I	Cup & Cone	Double sided	W93 × L66	I	0	0	343g
CYGMA	lld↑	Silver	Alloy	I	Sealed & Bushing	Double sided	W73 × L64	Ezy optional	0	0	240g(310g)
COMPACT	lld+	Grey/Black	CNC milled Extruded Alloy	I	Sealed & Bushing	Double sided	W75 × L67	Ezy optional	×	0	233g(303g)
RMX	01d↑	Cosmic-silver	Alloy	I	Cup & Cone	Double sided	M90 × L86	I	×	©	3849
ВАММА	old+	Silver/Black	Alloy	Alloy Cast	Cup & Cone	Double sided	W78 × L118	Ezy Superior optional	×	©	450g(513g)
LAMBDA	old+	Silver/Black	Alloy	Alloy Cast	Cup & Cone	Double sided	W78 × L119	Ezy Superior optional	×	©	420g(483g)
ALLWAYS	old←	Silver/Black	Alloy	I	Triple sealed bearing	Double sided	W84 × L110	Ezy Superior optional	×	×	381g(436g)
	Model	Color	Body	Cage Plate	Bearing	Step Area	Size %1	Ezy / Ezy Superior Lineup	©Recommended ○Compatible × Non	Olnstalled Compatible (option) X Non	Weight of pair %2
	Σ			l	Feature			Ezy / Ezy Lin	ToeClip	Reflector	Weight o



Size W:width(mm) L:length(mm)

D	ED	Λ	SD	FCI	FIC	ATIC	2NC	
						AIIS		

			1				Γ					
FD-7		9ld←	Silver/Black	Alloy	Alloy Cast	Cup & Cone	Double sided	W91 × L67	I	×	0	4879
S-SN		9ld←	Silver	Alloy	ı	Sealed & Bushing	Double sided Clipless	W64 × L52(Cover) W69 × L84(Cage)	Ezy optional	×	×	433g(503g)
US-L		9ld←	Black	GFRP	ı	Triple sealed	Single sided Clipless	W68 × L87	Ezy Superior optional	×	×	290g(345g)
ROYAL NUEVO	in the second	↑ APIS	Satin-Silver	Highly Polished Alloy	Alloy Anodized	High polished Cup & Cone	Single sided	W84 × L60	I	0	×	2979
RX-1		→PIS	Black	Highly Polished Alloy	Highly Polished Alloy Anodized	Finest sealed	Single sided	W86 × L61	I	©	×	2819
SUPREME		→PIS	Silver/Black	Highly Polished Alloy	Highly Polished Alloy SV: CP BK: Anodized	Finest sealed	Single sided	W84 × L60	I	©	×	2949
AR-2		→P14	Silver/Black	Alloy	I	Cup & Cone	Single sided	W100 × L62	Ezy optional	©	0	293g(344g)
URBAN PLAT- FORM		→P14	Silver/Black	Alloy	I	Triple sealed	Single sided	W75 × L67	Ezy Superior optional	©	×	310g(365g)
GR-10		→P14	Silver/Black	Alloy	I	Cup & Cone	Single sided	W76 × L88	I	©	0	3409
GR-9		→P14	Silver/Black	Alloy	I	Cup & Cone	Single sided	W70 × L78	I	©	0	299g
TOURING-LITE Short	Day.	→PI3	Silver/Black	Alloy	Alloy Anodized	High polished Cup & Cone	Double sided	697 × 98M	Ezy Superior optional	0	0	312g(375g)
TOURING-LITE		→PIS	Silver/Black	Alloy	Alloy Anodized	High polished Cup & Cone	Double sided	W93 × L69	I	0	0	320g
	Model		Color	Body	Cage Plate	Bearing	Step Area	Size %1	Superior sup	©Recommended ○Compatible X Non	Onstalled Compatible (option)	f pair %2
	δ				, , , , , , , , , , , , , , , , , , ,	equile Legistra			Ezy / Ezy Superior Lineup	ToeClip	Reflector	Weight of pair %2



2 indicates Ezy or Ezy-Superior weight of a pa

	Model		Color	Body	1	ture Bearing	Step	Size %1	Ezy / Ezy Superior Lineup	Clip O Re	©Ins CCo Cox XNo	Weight of pair %2
					Cage Plate	pui	Step Area	~	ior	©Recommended OCompatible X Non	©Installed Compatible (option)	
GRAFIGHT-XX	TId↑		Black/Khaki/ White/Blue/ Red	GFRP	1	Cup & Cone	Double sided	W102 × L87	1	×	©	200
BM-7	THA!		Silver/Black/ Gold/Blue/Red/ Cupper	Alloy	Alloy Anodized	Cup & Cone	Double sided	W98 × L61	ı	0	0	5
MT-LITE	Lid↑	d	Sis	Alloy	Steel Painted	Cup & Cone	Double sided	W97 × L64	ı	0	0	4390
III - ⊃X	1 tid↑	8	Silver/Black	Alloy	Alloy Anodized	Cup & Cone	Double sided	W100 × L90	ı	×	×	7000
PB-50	\$ 8ld ↑	•	White	Plastic-PP	1	Cup & Cone	Double sided	W100 × L69	1	×	0	2860
RUNBER-X	8ld↑	•	Grey/Black	Plastic-PP	ı	Cup & Cone	Double sided	W100 × L82	1	×	×	3120
0009-5	8ªd ↑		Black	Plastic-PP	ı	Cup & Cone	Double sided	W94 × L75	ı	0	©	00 22
3000S/3000R	8ld↑		Black	Steel	Rubber	Cup & Cone	Double sided	W100 × L73	1	×	3000S: X	3000S: 706g
Q-XN	id ↑	*	Black	Plastic-PP	ı	Cup & Cone	Double sided	697 × 06M	Ezy optional	×	©	(2002)2070
							٥	>	Ш			





Size W:width(mm) L:length(mm)